



PayPro

Payment Terminal

Mounting Guide and Installation for MDB Machines




Disclaimer of Liability

This manual provides installation and operation guidance for the PayPro payment terminal. WeVend is not responsible for errors, damages, or losses from improper use or unauthorized modifications. Altering hardware or software may void the warranty. Use only approved accessories.

Users are responsible for correct setup, maintenance, and compliance with all regulations. By using this product, the operator accepts all related risks.

Safety Precautions

- Ensure that all connections are made securely before powering up the system to avoid short circuits or electrical damage.
- Double-check the voltage and current ratings of the components before connecting them to ensure compatibility.
- Always disconnect power before making or adjusting any connections to avoid electrical shock or damage.




Package Contents

Thank you for choosing the WeVend PayPro terminal for your vending machine. This quick guide will help you mount, connect, and set up your terminal, so it's ready to accept payments in just a few minutes.


What's in the Box



1x PayPro Terminal




1x Mounting Plate




0.5" / 13mm

1x Riser




1x Rubber Gasket



4x 4 Mounting Screws




1x Antenna




1x MDB Y Connector

Optional Accessories

Parts available upon request.




Antenna Magnetic Bracket




0.75" / 19mm

Riser




1x Dex Y Connector



1x Comms Connector


For DEX (Digital Exchange) Installations

Dimensions & Interface



Mounting Plate


Mounting plates are recommended for a secure installation. Suitable for NAMA / EVA standard accessory dimensions, with defined cut-out sizes and mounting space.



Mounting Plate Dimensions


Terminal Installation

Installation of the terminal without using the riser.



Terminal Installation with Riser


If there are spacing challenges, the PayPro terminal can be installed using the supplied riser.



Connecting the Terminal

1. Plug the Antenna into the “Main” port of the PayPro Terminal.
2. Plug the MDB Y Connector (male) into the PayPro Terminal (female), and into the machine’s MDB port.

When the machine is powered on, the PayPro Terminal will boot up, and launch the vending application.




Connecting the Terminal

For DEX (Digital Exchange) Installations*

1. Plug the Antenna into the “Main” port of the PayPro Terminal.
2. Plug the MDB Y Connector (male) into the PayPro Terminal (female), and into the machine’s MDB port.
3. Connect the Comms Connector (male) to the terminal (female).
4. Attach the Dex Y Connector (male) into the Comms Connector (female), and to the machine.

When the machine is powered on, the PayPro Terminal will boot up, and launch the vending application.



Need help?

Our team is here for you.

Please have your *Merchant Name* and *Merchant ID* ready when you contact us.



1.877.909.2507



support@wevend.com

Thank you for choosing WeVend.

We're proud to support your business.

WeVend Customer Service Team